व्यावसायिक परीक्षण रिपोर्ट (प्रारंभिक COMMERCIAL TEST REPORT (INITIAL) संख्या/No: Machine-359/1179 माह/Month: July, 2020 Validity: 30.06.2025



BAHAR BIC/500G POWER WEEDER



भारत सरकार Government of India कृषि एवं किसान कल्याण मंत्रालय Ministry of Agriculture and Farmers Welfare कृषि, सहकारिता एवं किसान कल्याण विभाग Department of Agriculture, Cooperation and Farmers Welfare दक्षिणी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान Southern Region Farm Machinery Training and Testing Institute ट्रैक्टर नगर, गार्लदिन्ने-515 731, जिला: अनंतपुर (आं. प्र.) Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.) [An ISO 9001:2015 CERTIFIED INSTITUTE]

Website: http://srfmtti.dacnet.nic.in/E-mail: fmti-sr@nic.inTele./FAX: 08551-286441

Machine- 359/1179	BAHAR BI	C/500G POWER WEEDER	COMMERCIAL (ICT)
Manufac	eturer	: M/s. Chongqing Aspir Co. Ltd., 3A 19-3 No Road, Nan'an Dist., China	.78, Danlong
Applicar	nt	 M/s. Bahar Agrotech, 993, Dapoli - Dabhol R & Tal. Dapoli Dis Maharashtra – 415 712, 1 	t. Ratnagiri,

BAHAR BIC/500GPOWER WEEDER

Report No. : Machine-359/1179

Month: July

Year: 2020



Government of India Ministry of Agriculture and Farmers Welfare Department of Agriculture, Cooperation and Farmers Welfare Southern Region Farm Machinery Training and Testing Institute Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.) [An ISO 9001:2015 CERTIFIED INSTITUTE]

Telephone: 08551-286441 Website: <u>http://srfmtti.dacnet.nic.in/</u> Fax: 08551-286441 E-mail: <u>fmti-sr@nic.in</u>

SOUTHERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE, ANANTAPUR, (A.P.)

16.4 Rotary drive unit:

The rotary drive unit was dismantled and all the components were found in normal working condition.

17. COMMENTS & RECOMMENDATIONS

17.1 Engine performance:

- 17.1.1 The maximum power and rated power were observed as 3.9 kW under natural ambient condition against the declared value of 4.2 kW.
- 17.1.2 Specific fuel consumption of engine corresponding to maximum power was recorded as 368 g/kWh against the declared value of 280 g/kWh. This should be looked into for corrective action.
- 17.1.3 Max. Torque was observed as 11.7 Nm against the declared value of 15 Nm. This should be looked into for corrective action.
- 17.1.4 Back up torque of engine was observed as 4.46 % against the declared value of 10 %. This should be looked into for corrective action.
- 17.1.5 During varying speed test of engine at both natural & high ambient conditions after attaining max. torque at 11.7 Nm & 11.0 Nm respectively, while further loading, sudden drop of engine rpm was observed
- 17.2 Max. Noise at operator's ear level was observed as 89 dB (A).
- **17.3** The amplitude of mechanical vibration on most of the assemblies of the Power Weeder was observed up to the maximum extent of 356 microns, Which is directly concerned with Operator's Health, Safety and Comfort. Besides, it also adversely affect the useful life of the components. In view of the above, this should be taken care for corrective action.
- **17.4** The hardness of rotary blades does not conform to the requirement of IS 6690:1981 (Reaffirmed 2012). This should be looked into for corrective action.
- **17.5** The carbon and silicon content of chemical composition of rotary blades doe not conform to the requirement of IS 6690:1981. This should be taken care for corrective action.

Machine-
359/1179

17.6 The provided labeling plate should be as per the requirement IS.

17.7 Technical literature:

Owner's manual and parts catalogue of power weeder and engine in separate booklets were supplied with the test sample for reference during the test. It is however, recommended that same may be revised and bought out in Hindi & other regional languages as per IS 8132:1999 (Reaffirmed 2004) for the sake of user & technical personnel.

TESTING AUTHORITY:

B.N. DIXIT AGRICULTURAL ENGINEER	-
Dr. P.P. RAO DIRECTOR	P-P. Rap

18. APPLICANT'S COMMENTS

Para No.	Our reference	Applicant's comments	
18.1	17.1.2 &	We will inform the same thing to our principal	
	17.1.5	manufacturer to look into it.	
18.2	17.3	We will try for the provision of some vibration	
	a dereta a	dampening devices to deduce the vibration	
18.3	17.4 & 17.5	We will make possible changes in blade material to	
	1 10 AISO KE	conform the IS requirement	
18.4	17.6	We will look into it	
18.5	17.7	We will try to implement your suggestion	

SOUTHERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE, ANANTAPUR, (A.P.)