व्यावसायिक परीक्षण रिपोर्ट (प्रारंभिक) COMMERCIAL TEST REPORT (INITIAL)

संख्या / No: Machine-360/1180

Validity: 30.06.2025

माह/Month: July, 2020



BAHAR BIC/1000G POWER WEEDER



भारत सरकार

Government of India

कृषि एवं किसान कल्याण मंत्रालय Ministry of Agriculture and Farmers Welfare

कृषि, सहकारिता एवं किसान कल्याण विभाग

Department of Agriculture, Cooperation and Farmers Welfare दक्षिणी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान Southern Region Farm Machinery Training and Testing Institute ट्रैक्टर नगर, गार्लदिन्ने-515 731, जिला: अनंतपुर (आं. प्र.)

Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.)

[An ISO 9001:2015 CERTIFIED INSTITUTE]

Website: http://srfmtti.dacnet.nic.in/

E-mail: <u>fmti-sr@nic.in</u> Tele./FAX: 08551-286441

Machine- 360/1180

BAHAR BIC 1000G POWER WEEDER

COMMERCIAL (ICT)

Manufacturer : M/s. Chongqing aspire commerce Co.

Ltd., 3A19-3, No.78, Danlong Road,

Nan'an Dist. Chongqing, China

Applicant : M/s. Bahar Agrotech, 993, Dapoli-

Dabhol Road, At. Post & Tal. Dapoli Dist. Ratnagiri, Maharashtra-415712,

India

BAHAR AGROTECH BIC/1000G POWER WEEDER

Report No.: Machine-360/1180 Month: July Year: 2020



Government of India

Ministry of Agriculture and Farmers Welfare
Department of Agriculture, Cooperation and Farmers Welfare
Southern Region Farm Machinery Training and Testing Institute
Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.)
[An ISO 9001:2015 CERTIFIED INSTITUTE]

Telephone: 08551-286441 Fax: 08551-286441 Website: http://srfmtti.dacnet.nic.in/ E-mail: fmti-sr@nic.in

Machine- 360/1180

BAHAR BIC 1000G POWER WEEDER

COMMERCIAL (ICT)

17. COMMENTS & RECOMMENDATIONS

17.1 Engine performance:

- 17.1.1 The maximum power and rated power were observed as 3.4 & 3.1 kW under natural ambient condition against the declared value of 4.2 kW.
- 17.1.2 Specific fuel consumption of engine corresponding to maximum power was recorded as 429 g/kWh against the declared value of 280 g/kWh. This should be looked into for corrective action.
- 17.1.3 Max. Torque was observed as 10.5 Nm against the declared value of 15 Nm. This should be looked into for corrective action.
- 17.1.4 Back up torque of engine was observed as 5.0 % against the declared value of 10 %. This should be looked into for corrective action.
- 17.1.5 During varying speed test of engine at both natural & high ambient conditions after attaining max. torque at 10.5 Nm & 10.0 Nm respectively, while further loading, sudden drop of engine rpm was observed.
- 17.2 Max. Noise at operator's ear level was observed as 84.0 dB (A).
- 17.3 The amplitude of mechanical vibration on most of the assemblies of the Power Weeder was observed up to the maximum extent of 373 microns, Which is directly concerned with Operator's Health, Safety and Comfort. Besides, it also adversely affect the useful life of the components. In view of the above, this should be taken care for corrective action.
- 17.4 The hardness of rotary blades conforms to the requirement of IS 6690:1981 (Reaffirmed 2012).
- 17.5 Chemical composition of rotary blades conforms to the requirement of IS 6690:1981.
- 17.6 The provided labeling plate should be as per the requirement IS.

Machine-	
360/1180	

BAHAR BIC 1000G POWER WEEDER

COMMERCIAL (ICT)

17.7 Technical literature:

Owner's manual and parts catalogue of power weeder and engine in separate booklets were supplied with the test sample for reference during the test. It is however, recommended that same may be revised and bought out in Hindi & other regional languages as per IS 8132:1999 (Reaffirmed 2004) for the sake of user & technical personnel.

TESTING AUTHORITY:

B.N. DIXIT AGRICULTURAL ENGINEER	B. Comments of the comments of
Dr. P.P. RAO DIRECTOR	P-P. Rase

18. APPLICANT'S COMMENTS

Para No.	Our reference	Applicant's comments		
18.1	17.1.2 &	We will inform the same thing to our principal		
	17.1.5	manufacturer to look into it.		
18.2	17.3	We will try for the provision of some vibration		
	9.72	dampening devices to deduce the vibration		
18.3	17.6	We will look in to it		
18.4	17.7	We will try to implement your suggestion		