व्यावसायिक परीक्षण रिपोर्ट (प्रारंभिक) COMMERCIAL TEST REPORT (INITIAL)

संख्या /No: Machine-383/1211 माह /Month: September, 2020 Validity: 31.08.2025



SURANJAN AGENCIES SAT- 135 D POWER WEEDER



भारत सरकार Government of India कृषि एवं किसान कल्याण मंत्रालय Ministry of Agriculture and Farmers Welfare कृषि, सहकारिता एवं किसान कल्याण विभाग Department of Agriculture, Cooperation and Farmers Welfare दक्षिणी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान Southern Region Farm Machinery Training and Testing Institute ट्रैक्टर नगर, गार्लदिन्ने-515 731, जिला: अनंतपुर (आं. प्र.) Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.) [An ISO 9001:2015 CERTIFIED INSTITUTE]

Website: http://srfmtti.dacnet.nic.in/ E-mail: <u>fmti-sr@nic.in</u> Tele./FAX: 08551-286441

Page 1 of 32

Manufacturer	:	M/s. Chongqing Hongmei Technology Co. Ltd., No. 9, Huzhu Village, Bagiao Town, Dadukou District, Chongqing- 400 084, China
Applicant	:	M/s. Suranjan Agencies, H. No. 7994/40 (West), Beside Vitthal Plaza, Adityanagari, Tendulkar Estate, Bhakti Construction Road,

Beed- 431 122, Maharashtra, India

SURANJAN AGENCIES SAT- 135 D POWER WEEDERReport No. : Machine-383/1211Month: OctoberY

Year: 2020



Government of India Ministry of Agriculture and Farmers Welfare Department of Agriculture, Cooperation and Farmers Welfare Southern Region Farm Machinery Training and Testing Institute Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.) [An ISO 9001:2015 CERTIFIED INSTITUTE]

Telephone: 08551-286441 Website: <u>http://srfmtti.dacnet.nic.in/</u> Fax: 08551-286441 E-mail: <u>fmti-sr@nic.in</u>

SOUTHERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE, ANANTAPUR, (A.P.)

17. COMMENTS & RECOMMENDATIONS

17.1/ Engine Performance:

- 17.1.1 The maximum power and rated power were observed 5.7 kW under natural ambient condition against the declared value of 5.9 kW respectively.
- 17.1.2 Specific fuel consumption of engine corresponding to maximum power was recorded as 314 g/kWh against the declared value of 300 g/kWh.
- 17.1.3 Max. Torque was observed as 19.45 Nm against the declared value of 25.0 Nm. This should be looked in to for corrective action.
- 17.1.4 Back up torque of engine was observed as 6.40 %, against the declared value of 10 %. This should be looked into for corrective action.
- 17.1.5 During varying speed test of engine at both natural & high ambient conditions after attaining max. torque at 19.45 Nm & 18.75 Nm respectively, while further loading, sudden drop of engine speed and thick black smoke was noticed.
- 17.2 Max. Noise at operator's ear level was observed as 96 dB (A), which is higher than the limit specified by the ILO. Therefore, this should be looked into for corrective action
- **17.3** The amplitude of mechanical vibration on most of the assemblies of the Power Weeder was observed up to the maximum extent of 352 microns, Which is directly concerned with Operator's Health, Safety and Comfort. Besides, it also adversely affect the useful life of the components. In view of the above, this should be taken care for corrective action.
- **17.4** The hardness of rotary blades is not conforming to the requirement of IS 6690:1981 (Reaffirmed 2012). This should be looked into for corrective action.
- **17.5** Chemical composition of rotary blade is not as per the requirement of IS 6690:1981. This should be looked into for corrective action.

SOUTHERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE, ANANTAPUR, (A.P.)

Machine-
383/1211

17.6 The provided labeling plate should be as per the requirement IS.

17.7 Technical literature:

Operational manual and parts catalogue of power weeder and engine in separate booklets were supplied with the test sample for reference during the test. It is however, recommended that same may be revised and brought out in Hindi & other regional languages as per IS 8132:1999 (Reaffirmed 2004) for the sake of user & technical personnel.

TESTING AUTHORITY:

B.N. DIXIT AGRICULTURAL ENGINEER	BI
Dr. P.P. RAO DIRECTOR	PPRap

18. APPLICANT'S COMMENTS

"As per your suggestions, we will make all possible necessary changes in our future products".