व्यावसायिक परीक्षण रिपोर्ट (प्रारंभिक)

COMMERCIAL TEST REPORT (INITIAL)

संख्याधNo: T-104/1424

माहधMonth: September, 2022

Validity: 31.08.2029



PRABHU PT 5 TON TRACTOR TRAILER



भारत सरकार

Government of India

कृषि एवं किसान कल्याण मंत्रालय

Ministry of Agriculture and Farmers Welfare कृषि एवं किसान कल्याण विभाग

Department of Agriculture and Farmers Welfare

दक्षिणी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान

Southern Region Farm Machinery Training and Testing Institute

ट्रैक्टर नगर, गार्लदिन्ने - 515 731, जिलाः अनंतपुर (आं. प्र.)

Tractor Nagar, Garladinne- 515 731, District: Anantapur (A.P.)

[An ISO 9001:2015 CERTIFIED INSTITUTE]

Website: http://srfmtti.dacnet.nic.in/

E-mail: fmti-sr@nic.in Tele.: 08551-286441

PRABHU PT 5 TON TRACTOR TRAILER

COMMERCIAL (ICT)



Government of India Ministry of Agriculture and Farmers Welfare Department of Agriculture and Farmers Welfare Southern Region Farm Machinery Training and Testing Institute Tractor Nagar, Garladinne- 515 731, District: Anantapur (A.P.) [An ISO 9001:2015 CERTIFIED INSTITUTE]

Telephone: 08551-286441

Website: http://srfmtti.dacnet.nic.in/
E-mail: fmti-sr@nic.in

PRABHU TRAILOR PT 5 TON TRACTOR TRAILER

Report No.: T-104/1424 Month: September Year: 2022

Manufacturer : M/S Prabhu Trailors And Stone Suppliers

Gat No. 187, Plot No. 8, Near Jaiswal Saw Mill, Malkapur Road, Bodwad-425310, District: Jalgaon,

Maharashtra India

Applicant : The Manufacturer

RCIAL T)

orms to

nd of the

20. This

13:2020.

ll to the

orrective

ement of

orrective

T-104/1424

PRABHU PT 5 TON TRACTOR TRAILER

COMMERCIAL (ICT)

12.10 Adequacy of literature:

Operator's manual, service manual and parts catalogue of trailer were not provided. However, this may be brought out in Hindi and other regional languages in **booklet form** as per IS 8132: 1999 (Reaffirmed 2019) for the sake of user & technical personnel.

TESTING AUTHORITY

D.E. MOULI AGRICULTURAL ENGINEER

P.KAMALABAI SENIOR AGRICULTURAL ENGINEER

K.K.NAGLE DIRECTOR

13. Applicants comments

The comments are noted, we will work on it to make all possible necessary changes as per your recommendation

into for

provided is should

ge 29 of 30