# व्यावसायिक परीक्षण रिपोर्ट(प्रारंभिक) COMMERCIAL TEST REPORT (INITIAL)

संख्या / No: Machine-295/1050 Month: August, 2019 Validity: 31.07.2024



# **NEPTUNE NWD - 178F POWER WEEDER**



#### भारत सरकार

Government of India कृषि एवं किसान कल्याण मंत्रालय

Ministry of Agriculture and Farmers Welfare कृषि, सहकारिता एवं किसान कल्याण विभाग

Department of Agriculture, Cooperation and Farmers Welfare दक्षिणी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान

Southern Region Farm Machinery Training and Testing Institute द्रैक्टर नगर, गार्लिदिन्ने-515 731, जिला: अनंतपुर (आं. प्र.)

Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.) [An ISO 9001:2015 CERTIFIED INSTITUTE]

Website: http://srfmtti.dacnet.nic.in/

E-mail: fmti-sr@nic.in Tele./FAX: 08551-286441

**Machine- 295/1050** 

# **NEPTUNE NWD - 178F POWER WEEDER**

COMMERCIAL (ICT)

Manufacturer : M/s. Zhejiang Yongli Machinery Co. Ltd.,

Shangyun Village, Hengjie Town, Luqiao District, Taizhou City,

Zhejiang, China.

Applicant : M/s. Neptune Packaging Pvt. Ltd.,

78, Janki Nagar, Near Jain Mandir,

Indore, Madhya Pradesh - 452 001, India

# NEPTUNE NWD - 178F POWER WEEDER

Report No.: Machine-295/1050 Month: August Year: 2019



### **Government of India**

Ministry of Agriculture and Farmers Welfare Department of Agriculture, Cooperation and Farmers Welfare Southern Region Farm Machinery Training and Testing Institute Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.)

[An ISO 9001:2015 CERTIFIED INSTITUTE]

Telephone: 08551-286441 Fax: 08551-286441
Website: <a href="http://srfmtti.dacnet.nic.in/">http://srfmtti.dacnet.nic.in/</a>
E-mail: <a href="mailto:fmti-sr@nic.in">fmti-sr@nic.in</a>

SOUTHERN REGION FARM MACHINERY TRAINING & TESTING INSTITUTE, ANANTAPUR, (A.P.)

Page 2 of 31

#### 17. COMMENTS & RECOMMENDATIONS

# 17.1 Engine Performance:

- 17.1.1 The maximum power and rated power were observed as 4.0 kW under natural ambient condition against the declared value of 3.8 kW.
- 17.1.2 Specific fuel consumption of engine corresponding to maximum power was recorded as 294 g/kWh against the declared value of 295 g/kWh.
- 17.1.3 Max. Torque was observed as 13.83 Nm against the declared value of 10.0 Nm.
- 17.1.4 Back up torque of engine was observed as 9.24 %, against the declared value of 10%.
- 17.2 Max. Noise at operator's ear level was observed as 93 dB (A).
- 17.3 The amplitude of mechanical vibration on most of the assemblies of the Power Weeder was observed on higher side and to the maximum extent of 367 microns, Which is directly concerned with Operator's Health, Safety and Comfort. Besides, it also adversely affect the useful life of the components. In view of the above, this should be taken care for corrective action.
- 17.4 The hardness of rotary blades conforms to the requirement of IS 6690:1981 (Reaffirmed 2012).
- 17.5 All the constituents except silicon content of chemical composition of rotary blades conforms to the requirement of IS 6690:1981 (reaffirmed 2012). This should be looked into for corrective action.
- 17.6 Labeling plate provided should be as per the requirement of IS.

Machine-295/1050

# NEPTUNE NWD - 178F POWER WEEDER

COMMERCIAL (ICT)

# 17.7 Technical literature:

The Operation manual and users manuals of power weeder and engine were supplied with the test sample for reference during the test. It is however, recommended that same may be revised and bought out in Hindi & other regional languages as per IS 8132:1999 (Reaffirmed 2004) for the sake of user & technical personnel.

# TESTING AUTHORITY:

II,N, DIXIT AGRICULTURAL ENGINEER	
Dr. P.P. RAO DIRECTOR	P.P. Ran

# 18. APPLICANT'S COMMENTS

"All the comments are well noted and we assure to implement the suggestions mentioned therein in our future supplies of products".