व्यावसायिक परीक्षण रिपोर्ट (प्रारंभिक)
COMMERCIAL TEST REPORT
(INITIAL)

संख्या / No: Machine- 299/1054 Month: August, 2019 Validity: 31.07.2024



FORTUNEAGRO FAI - 750N POWER WEEDER



भारत सरकार

Government of India

कृषि एवं किसान कल्याण मंत्रालय Ministry of Agriculture and Farmers Welfare कृषि, सहकारिता एवं किसान कल्याण विभाग

Department of Agriculture, Cooperation and Farmers Welfare दक्षिणी क्षेत्र कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान Southern Region Farm Machinery Training and Testing Institute ट्रैक्टर नगर, गार्लदिन्ने-515 731, जिला: अनंतप्र (आं. प्र.)

Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.)
[An ISO 9001:2015 CERTIFIED INSTITUTE]

Website: http://srfmtti.dacnet.nic.in/

E-mail: <u>fmti-sr@nic.in</u> Tele./FAX: 08551-286441

Machine- 299/1054

FORTUNEAGRO FAI- 750N POWER WEEDER

COMMERCIAL (ICT)

Manufacturer : M/s. Chongqing Genkins Power Ltd., China

Applicant : M/s. FortuneAgro Impex,

Fortune house, # 343, 9th Block, Sir M. Visvesvaraya layout, Kengunte 1st Main Road,

Bangalore - 560 056, Karnataka, India.

FORTUNEAGRO FAI - 750 N POWER WEEDER

Report No.: Machine- 299/1054 Month: August Year: 2019



Government of India

Ministry of Agriculture and Farmers Welfare Department of Agriculture, Cooperation and Farmers Welfare Southern Region Farm Machinery Training and Testing Institute Tractor Nagar, Garladinne-515 731, District: Anantapur (A.P.)

[An ISO 9001:2015 CERTIFIED INSTITUTE]

Telephone: 08551-286441 Fax: 08551-286441 Website: http://srfmtti.dacnet.nic.in/ E-mail: fmti-sr@nic.in

Machine- 299/1054

FORTUNEAGRO FAI- 750N POWER WEEDER

COMMERCIAL (ICT)

17. COMMENTS & RECOMMENDATIONS

17.1 Engine Performance:

- 17.1.1 The maximum & rated power were observed as 5.2 kW under natural ambient condition against the declared value of 5.1 kW.
- 17.1.2 Back up torque of engine was observed as 10.2 % against the declared value of 10 %.
- 17.1.3 Specific fuel consumption of engine corresponding to maximum power and at rated engine speed was recorded as 320 g/kWh against the declared value of 374 g/kWh.
- 17.1.4 Maximum torque was observed as 15.17 Nm against the declared value of 15.8 Nm.
- Maximum Noise at operator's ear level was observed as 93 dB (A), which is higher as per ILO. Therefore corrective action to reduce the noise should also be taken.
- 17.3 The amplitude of mechanical vibration on most of the assemblies of the Power Weeder was observed as higher side and to the maximum extent of 356 microns, Which is directly concerned with Operator's Health, Safety and Comfort. Besides, it also adversely affect the useful life of the components. In view of the above, this should be taken care for corrective action.
- 17.4 The hardness of rotary blades does not conform to the requirement of IS 6690:1981 (Reaffirmed 2012). This should be looked in to for corrective action.
- 17.5 Chemical composition of rotary blades are not conforming the requirement of IS 6690:1981 (Reaffirmed 2012). This should be looked in to for corrective action.
- 17.6 The labeling plate should be provided as per the requirements of IS.

Machine-299/1054

FORTUNEAGRO FAI- 750N POWER WEEDER

COMMERCIAL (ICT)

17.7 Technical literature:

The owner's manual cum parts catalogue of engine and power weeder was supplied along with the test sample for reference during the test. It is however, recommended that same may be revised and bought out in Hindi & other regional languages as per IS 8132:1999 (Reaffirmed 2004) for the sake of user & technical personnel.

TESTING AUTHORITY:

B.N. DIXIT AGRICULTURAL ENGINEER	BI
Dr. P.P. RAO DIRECTOR	P-P. Rao

18. APPLICANT'S COMMENTS

"With immediate effect we will inform to the production unit to take care the corrective actions before dispatching the material from the factory to the sales unit".